

FR4 PCB BASED SMD HCMOS VCXO (14.3 x 8.7 x 5.5mm)

FEATURES:

- ULTRA LOW NOISE AND JITTER PERFORMANCE
- HCMOS OUTPUT WITH LOW CURRENT
- SUITABLE FOR REFLOW




SPECIFICATION

PARAMETER		MIN.	TYP.	MAX.	UNIT	NOTE
FREQUENCY RANGE		1		800.000	MHz	
OPERATING TEMPERATURE RANGE		-40		85	°C	See P/N guide for other options
STORAGE TEMPERATURE RANGE		-55		105	°C	
SUPPLY VOLTAGE ±5%		3.3		5.0	V	See P/N guide for other options
SUPPLY CURRENT			15	100	mA	
OUTPUT	LOGIC FAMILY	HCMOS				
	LOAD	15pF				
	LEVEL LOGIC '1' (V _{OH})	0.9 x V _{DD}			V	
	LEVEL LOGIC '0' (V _{OL})			0.1 x V _{DD}	V	
	SYMMETRY (DUTY CYCLE)	45		55	%	See P/N guide for other options
	RISE AND FALL TIME (Tr/Tf)			3	nS	@ 10% ~ 90% V _{DD}
START-UP TIME				10	mS	
FREQUENCY DEVIATION		±20			ppm	@ APR (Inclusive of tolerance@25°C, stability over temp, voltage chance, load change and aging)
CONTROL VOLTAGE	3.3V	0		3.3	V	
	5.0V	0		5	V	
LINEARITY				10	%	
MODULATION BANDWIDTH		10			kHz	@ -3dB
INPUT IMPEDANCE			50		kΩ	
AGING @ 25°C + 3°C				±3.0	ppm	@ 1 ST year
PHASE JITTER			0.12		pS	@ 12kHz ~ 80MHz offset
PHASE NOISE FLOOR			-165		dBc/Hz	@ 100MHz
PHASE NOISE	@ 1kHz		-145		dBc/Hz	@ 100MHz with ±20ppm APR
	@ 10kHz		-163		dBc/Hz	
	@ 100kHz		-165		dBc/Hz	
	@ 1MHz		-168		dBc/Hz	

Note: -40°C ~ 85°C temperature range is available with 35mA current max and -164dBc/Hz @ 100kHz phase noise. (Contact factory for detailed phase noise plot)


PHASE NOISE (TYPICAL) @ 100MHz (0°C to 70°C)




Consult factory for typical phase noise value for other operating temperature range.

Transko Electronics, Inc reserves the right to make changes to the product (s), service (s), and specification (s) described herein without notice. See "Terms of Sale" for details on our website.


■ PHASE NOISE (TYPICAL) @ 50MHz (0°C to 70°C)




■ PHASE NOISE (TYPICAL) @ 40MHz (0°C to 70°C)




■ PACKAGE DIMENSIONS




■ SOLDER PATTERN



■ REFLOW PROFILE



■ PART NUMBERING GUIDE



Transko Electronics, Inc reserves the right to make changes to the product (s), service (s), and specification (s) described herein without notice. See "Terms of Sale" for details on our website.